

Trade name: **Silicone elastomer articles, post-cured**  
created / revised: 2019-01-31 Date of printing 2019-01-31

Version: 1.0 (GB)

## 1. **Identification of the substance, preparation and of the company**

### 1.1 Product information:

Trade name: Silicone elastomer articles

### 1.2 Company / Supplier:

Manufacturer / Supplier: M+S Silicon GmbH & Co. KG  
Street / Post office box: Hannoeversche Str. 28  
Nat. code / Postcode / City: D - 44143 Dortmund  
Telephone / Telefax: 0231 / 967890-0 0  
Further information: info@ms-silicon.de  
Emergency: telephone: 0231 / 967890-0 (switchboard)  
available Mo. – Thu.: 8.00 - 17.00, Fr.: 8.00 - 14.00

## 2. **Hazards identification**

### 2.1 Classification of the substance or mixture:

Classification according to Regulation (EG) No. 1272/2008:  
Not a hazardous substance or mixture.

### 2.2 Label elements:

Labeling according to Regulation (EC) No. 1272/2008:  
No GHS marking required.

### 2.3 Other dangers:

There is no information.

## 3. **Composition / Information on ingredients**

### 3.1 Description:

Silicone rubber; Polydimethylsiloxane containing vinyl groups and filler(s); vulcanized, post-cured.

## 4. **First aid measures**

### 4.1 Description of the first aid measure

General information: In case of doubt recover medical advice.

After inhalation: Product can not be inhaled under normal circumstances.

After skin contact: Remove mechanically with a cloth or paper. Wash with plenty of water or soap and water.

After eye contact: Rinse immediately with plenty of water. With persistent irritation recover medical advice.

Ingestion: Drink plenty of water. If you feel unwell, recover medical advice; if possible show label.

### 4.2 Most important symptoms and effects, both acute and delayed:

Relevant information can be found in other parts of this section.

Trade name: **Silicone elastomer articles, post-cured**  
created / revised: 2019-01-31 Date of printing 2019-01-31

Version: 1.0 (GB)

4.3 Indication of any immediate medical attention and special treatment needed:

Further information on toxicology in section 11 should be noted.

**5. Fire-fighting measures**

5.1 Extinguishing media:

dry chemical powder, sand, foam, CO<sub>2</sub>.

5.2 Unsuitable extinguishing media:

Water

5.3 Special exposure hazards arising from the substance or preparation itself, its products of combustion or resulting gases:

In case of fire hazardous combustion gases or vapors possible.

5.4 Special protective equipment:

Use self-contained breathing apparatus. Keep unprotected people away.

5.5 Further information: -

**6. Accidental release measures**

6.1 Personal precautions:

No special measures. Observe general rules for preventive personal protection.

6.2 Environmental precautions:

Note the local official directives.

6.3 Methods for cleaning up:

Take up manually, dispose according to the rules.

**7. Handling and storage**

7.1 Handling:

Advice for safe handling

The material can become electrostatically charged. Always ensure grounding during processing.

Information about fire and explosion protection

No special measures. Observe general rules of preventive fire protection.

7.2 Storage:

Requirements for storage areas and containers:

Store dry and cool. Protect against heat. Store away from other chemicals (especially sulphurous substances). Observe local official regulations.



Trade name: **Silicone elastomer articles, post-cured**  
 created / revised: 2019-01-31 Date of printing 2019-01-31

Version: 1.0 (GB)

**8. Exposure controls / Personal Protection**

8.1 Additional information on the design of technical systems:  
 eliminated.

8.2 Exposure in the work place limited and controlled:  
 No Occupational Exposure Limits (OEL).

8.3 Personal protection equipment:  
 Respiratory protection:  
 Not required under normal circumstances.

Hand protection:  
 Not required under normal circumstances.

Eye protection:  
 Not required under normal circumstances.

Skin and body protection:  
 Not required under normal circumstances.

Hygiene measures:  
 Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Take note of common workplace hygiene measures.

**9. Physical and chemical properties**

9.1 Appearance:  
 Form: solid  
 Colour: diverse  
 Odour: faint odour

9.2 Safety data:  
 Melting point: no data available  
 Flammability: no data available  
 Flash point: > 200 °C  
 Ignition point: > 400 °C  
 Oxidizing properties: no data available  
 Explosive properties: no  
 Explosion limits: not applicable  
 Vapour pressure: no data available  
 Density: 1,09 – 1,50 g/cm<sup>3</sup> at 20 °C  
 Water solubility: insoluble  
 pH-Value: not applicable  
 Partition coefficient n-octanol/water: no data available  
 Viscosity: no data available

9.3 Further information:  
 Pyrolysis: > 250 °C

**10. Stability and reactivity**10.1 General:

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.2 Conditions to avoid: -10.3 Materials to avoid:

Reactions are possible with strong oxidizing agents.

10.4 Hazardous decomposition products:

If stored and handled in accordance with standard industrial practices no hazardous products are known. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

**11. Toxicological information**11.1 General:

According to our current knowledge, there are no toxicological test data for the whole product.

11.2 Acute toxicity:

no data available

**12. Ecological information**12.1 Persistence and degradability:

non-biodegradable.

12.2 Bio-accumulation potential:

Bioaccumulation is not expected to occur.

12.3 Ecotoxicity:

As far as we know no fish toxicity is expected.

12.4 Behaviour of substance at sewage plants (bacteria toxicity):

As far as we now know, there are no negative effects at sewage plants.

12.5 Additional ecological information:

Water-insoluble. Could be easily separated from water by filtering.

Trade name: **Silicone elastomer articles, post-cured**  
created / revised: 2019-01-31 Date of printing 2019-01-31

Version: 1.0 (GB)

**13. Disposal considerations**13.1 Product:

Recommendation: Disposal according to regulations by burning at waste incineration plants with waste gas cleaning. Combined deposition with domestic waste is possible, prior solidification is suggested. Consider local regulations.

Waste code number EAK: 070217 (Silicone containing waste)

13.2 Contaminated packaging:

Recommendation: Empty packaging completely (non-dripping, non-trickling, scraped-out). According to local regulations, recycling is recommended.

**14. Transport information**14.1 Transport by land ADR und RID:

ADR und RID: no hazardous material

GGVS/GGVE: no hazardous material

Postal / courier service: allowed

14.2 Transport by sea IMDG:

Evaluation: no hazardous material

Marine Pollutant: no

14.3 Transport by air ICAO und IATA:

Evaluation: no hazardous material

14.4 Transport / further information:

-

**15. Regulatory information**15.1 Labelling according to EU Directives:

Based on our data, the product is not a hazardous substance and is not a hazardous preparation in the sense of the Chemicals Act or the Hazardous Substances Ordinance and the corresponding EG Directive (67/548/EWG) in its currently valid version.

15.2 National regulations:

Categorisation to VbF: -

water hazard class: 1

**16. Other information:**

This information describes only the safety requirements of the product and is based on the current state of our knowledge. They do not constitute an assurance of properties of the described product in the sense of the legal warranty regulations.

This document does not release the purchaser of our products from their responsibility, with respect to applicable laws and regulations and their observance. This applies in particular to the further distribution of the products or other mixtures or articles made there-from, also in other fields of law, as well as for industrial property rights of third parties. For further processing or new / repackaging of the products it is up to the customer to attach the necessary safety-related information.